



FINGERPRINT TIME ATTENDANCE AND ACCESS CONTROL SYSTEM

Security & Protection

ZKS-T3-G



- ✿ It adopts advanced North Korean algorithm which is a most mature and stable biometric fingerprint algorithm nowadays
- ✿ Fingerprint,password,card,fingerprint+password and fingerprint+card for high security and precision
- ✿ RS232,RS485 and TCP/IP communication
- ✿ Options: embedded Proximity or HID or Mifare card reader, USB, backup battery
- ✿ Menu language: English,French,Spanish,Czech,Indonesian,Portuguese,Turkish and so on
- ✿ 3,000 fingerprint templates,everybody can register 3 fingers, even can register 10 fingers



FINGERPRINT TIME ATTENDANCE AND ACCESS CONTROL SYSTEM

Security & Protection

ZKS-T3-G

1 Standalone

For Demo only




2 TCP/IP Environment

For Demo only



3 Door Access Control

For Demo only





FINGERPRINT TIME ATTENDANCE AND ACCESS CONTROL SYSTEM Security & Protection

ZKS-T3-G

T3-G is an innovative stand-alone fingerprint recorder that can be used in both Time Attendance and Access Control applications and comes with TCP/IP, RS-232/485, USB, card reader, multi-functions keys and has access control connectivity for Wigand-out, Door lock connection, Alarm Clock, Exit switch. It adopts the North Korean algorithm and high image quality optical fingerprint sensor. The patented optical sensor is resistant to scratches, impact, vibration and electrostatic Shock. Industrialized design with refined fashion, integrates ZKS management software, good price with good performance. It could store 3,000 fingerprint templates and 80,000 transaction records. It is a kind of selection for your attendance and security purpose.

Parameters

Item	Description
User capacity:	3, 000
Transaction Storage:	80, 000
Period of data:	Keep data for 3 years when no current
Collecting rate:	Port rate(9600BPS, 19200BPS, 38400BPS)
Verification mode:	1: N, 1:1
FAR:	<0. 0001%
FRR:	<0. 01%
Response time:	<0. 7 second
Communication:	RS232, TCP/IP
Alarm clock:	Embedded alarm clock
External functions:	Connect Electronic lock(Access Control), Electronic bell
The capacity of connecting net:	31 units (RS485 mode), 255 units (TCP/IP)
Distance:	1200m (RS485)
Show:	Time, ID number, Name
Language:	English, French, Spanish, Czech, Indonesian, Portuguese and Turkish etc.
Working mode:	Time & attendance and Door Access
Time & Attendance mode:	Fingerprint, password, card, fingerprint + password, fingerprint + card
Save function:	Turn off device automatically for saving
Size:	195*50*144mm
Power supply:	DC9V, 1A (AC 100V to 240 V, 50 to 60 Hz)
Warranty of period:	24 months
Temperature and humidity:	0 - 45, 20%-80%
Option:	Proximity or Mifare card reader, backup battery, USB
Applications:	Office/factory/bank/hotel/school etc.



Send Message 15 800 6000 15

If you using a mobile phone or dialing from
Dubai, Macau, Istanbul or areas outside China,
please call: (86-21) 6767 9389

www.zksgroup.com

www.zksgroup.com.br

www.zksgroup.es

www.zksgroup.co.uk

www.zksgroup.in

www.zksgroup.com.ar

www.zksgroup.fr

www.zksgroup.com.au

www.zksgroup.com.mx

www.zksgroup.ae

www.zksgroup.de